

# ابوالفضل حسینی یزدی

استاد

دانشکده: شیمی

## سوابق تحصیلی

| مقطع تحصیلی | سال اخذ مدرک | رشته و گرایش تحصیلی | دانشگاه |
|---|---|---|---|
| کارشناسی | ۱۳۷۴ | شیمی محض | دانشگاه زنجان |
| کارشناسی ارشد | ۱۳۷۶ | شیمی-شیمی معدنی | دانشگاه تبریز |
| دکترای تخصصی | ۱۳۸۲ | شیمی-شیمی معدنی | دانشگاه تبریز |

## اطلاعات استخدامی

| محل خدمت | عنوان سمت | نوع استخدام | نوع همکاری | پایه |
|---|---|---|---|---|
| دانشکده شیمی | هیات علمی | رسمی قطعی | تمام وقت | ۲۵ |

## مقالات در نشریات

1. Mirzaahmadi A. et al.,Solvent-free CO2 cycloaddition by one- and two-dimensional sodium coordination polymers based on hydrazonic ligands,Journal of Solid State Chemistry,2024.
2. Streamlined Water-Leaching Preconcentration Method As a Novel Analytical Approach and Its Coupling to Dispersive Micro-Solid-Phase Extraction Based on Synthetically Modified (Fe/Co) Bimetallic MOFs,ACS Omega,2024.
3. Extraction and preconcentration of parabens from the human follicular fluid through dispersive micro solid phase extraction using microporous MIL-68 (In) followed by in-situ effervescence-boosted dispersive liquid-liquid microextraction,Journal of Pharmaceutical and Biomedical Analysis,2024.
4. Pirouzmand M. et al.,Synthesis, characterization, and antioxidant efficiency of CoCu/(□CDhis) complex,Inorganic Chemistry Communications,2024.
5. Pezhhanfar S. et al.,Using an efficient Al-based MOF in a two-step microextraction procedure for the extraction of pesticides from commercial fruit beverages,International Journal of Environmental Analytical Chemistry,2024.
6. Pesticide content analysis of red and yellow watermelon juices through a solid phase microextraction using a green copper-based metal–organic framework synthesized in water

.followed by a liquid phase microextraction procedure,Analytical Sciences,2023
7. AlFu nano MOF-based dispersive micro solid phase extraction of pesticides; the comparison of preconcentration via evaporation and dispersive liquid–liquid microextraction,International .Journal of Environmental Analytical Chemistry,2023
8. The application of Na-Bi MOF as a heterometallic coordination polymer and 2,2-dimethoxypropane as an in-situ-generating ternary solvent for the extraction and preconcentration of some phthalate and adipate esters from tap, well, surface, and river water .s,Microchemical Journal,2023
9. Pezhhanfar S. et al.,Introduction of a totally green and one-step analytical method resulting in exhaustive extraction of some fungicides and herbicides from apple juice using one-pot-synthesized CoGA MOF through dispersive micro solid phase extraction coupled to HPLC-.DAD,Microchemical Journal,2023
10. Pezhhanfar S. et al.,MIL-68 (Ga) for the extraction of derivatized and non-derivatized .parabens from healthcare products,Scientific Reports,2023
11. NiGA MOF-based dispersive micro solid phase extraction coupled to temperature-assisted evaporation using low boiling point solvents for the extraction and preconcentration of butylated .hydroxytoluene and some phthalate and adipate esters,RSC Advances,2023
12. Pezhhanfar S. et al.,Self-effervescence-assisted dispersive micro-solid-phase extraction combined with dispersive liquid–liquid micro-extraction for the extraction and preconcentration .of some phthalate and adipate esters in sparkling water,Chemical Papers,2023
13. An all-embracing analytical method comprising modified QuEChERS-dispersive micro-solid-phase extraction–dispersive liquid–liquid microextraction using FeGA MOF for the extraction and preconcentration of pesticides simultaneously from juice and flesh of wa,Analytical .Sciences,2023
14. Gholizadeh S. et al.,Nickel (II) Phenylthiosemicarbazone Complex Induces Cytotoxicity, Oxidative Stress and Apoptosis in Human Leukemia Stem-like KG1a Cells,Iranian Journal of .Science,2023
15. The application of CuGA MOF in a food safety monitoring procedure specialized for parsley juice with no dilution via extraction and preconcentration of its pesticides,Microchemical .Journal,2023
16. Exhaustive extraction of pesticides through MOF-801-oriented dispersive micro solid phase extraction coupled with gas-assisted evaporation,Journal of Food Composition and .Analysis,2023
17. Feizpour S. et al.,A novel water-soluble thiosemicarbazone Schiff base ligand and its complexes as potential anticancer agents and cellular fluorescence imaging,Journal of Biological .Inorganic Chemistry,2023
18. Ultrasonic Welding of Surface Pretreated GFRP Composites Using PMMA Interlayer with .Addition of Nanoparticles,Transactions of the Indian Institute of Metals,2023
19. Analytical application of MIL-53 (Al) for the extraction of pesticides from fruit juices following their preconcentration through dispersive liquid-liquid microextraction,Talanta .Open,2022
20. Khandar A.A. et al.,Antimicrobial, cytotoxicity, molecular modeling and DNA cleavage/binding studies of zinc-naproxen complex: switching DNA binding mode of naproxen by coordination to .zinc ion,Journal of Biomolecular Structure and Dynamics,2022
21. Salehi R. et al.,Enhanced anticancer potency with reduced nephrotoxicity of newly .synthesized platin-based complexes compared with cisplatin,Scientific Reports,2022
22. Development of a sample preparation procedure using an iron-based metal-organic framework for the extraction of pesticides from fruit juices by dispersive micro solid-phase extraction followed by their preconcentration by dispersive liquid-liquid microext,Separation .Science Plus,2022

23. Pezhhanfar, Sakha et al.,Development of an Extraction Method Based on a Zirconium-based Metal Organic Framework for the Detection and Determination of some Pesticides in Juice Samples Using GC-FID,Analytical and Bioanalytical Chemistry Research,2022.
24. Green synthesis of cobalt and iron incorporated citric acid/β-cyclodextrin composites: Efficient H2O2 scavengers,Applied Organometallic Chemistry,2022.
25. Pezhhanfar S. et al.,Introduction of an exclusive, highly linear, and matrix-effectless analytical method based on dispersive micro solid phase extraction using MIL-88B(Fe) followed by dispersive liquid–liquid microextraction specialized for the analysis of pesticides in cele,Microchemical Journal,2022.
26. Synthesis of MOF-70 based on diffusion method; microgram amount application as a highly efficient sorbent in dispersive micro solid phase extraction prior to dispersive liquid–liquid microextraction for the preconcentration and extraction of pesticides fr,Journal of the Iranian Chemical Society,2022.
27. Application of an MOF-based dispersive micro solid phase extraction method followed by dispersive liquid-liquid microextraction for plasticizers' detection and determination,New Journal of Chemistry,2021.
28. An MOF-based dispersive micro solid phase extraction prior to dispersive liquid-liquid microextraction for analyzing plasticizers,Journal of Food Composition and Analysis,2021.
29. Mirzaahmadi A. et al.,Apoptotic induction in K562 cell line by new water-soluble complexes of nickel(II) and zinc(II),Polyhedron,2021.
30. Parsa F.G. et al.,Molecular mechanisms of apoptosis induction in K562 and KG1a leukemia cells by a water-soluble copper(II) thiosemicarbazone complex,Journal of Biological Inorganic Chemistry,2020.
31. Hosseini–Yazdi S.A. , Noohinejad L. , Kalantari H. , Mirzaahmadi A.,Anion-directed assemblies of Cu(II) mono, di, and poly-nuclear coordination compounds with a 32-membered azacrown ligand: Synthesis, characterisation and crystal structures,Journal of Molecular Structure,2020.
32. Sardroud S.J. et al.,Synthesis, characterization and in vitro evaluation of anticancer activity of a new water-soluble thiosemicarbazone ligand and its complexes,Polyhedron,2020.
33. Saghatforoush L. et al.,Effective anticancer activities of an acyclic symmetrical compartmental Schiff base ligand and its Co(II), Cu(II) and Zn(II) complexes against the human leukemia cell line K562,Polyhedron,2019.
34. Mirzaahmadi A. et al.,New series of water-soluble thiosemicarbazones and their copper(II) complexes as potentially promising anticancer compounds,Journal of Molecular Liquids,2019.
35. Abyar S. et al.,In vitro nephrotoxicity and anticancer potency of newly synthesized cadmium complexes,Scientific Reports,2019.
36. Computational DFT study on nickel symmetric bis(thiosemicarbazone) complexes: Electronic absorption and redox potentials,Polyhedron,2019.
37. Ultrasound-assisted green synthesis of Cu-based complexes of β-cyclodextrin and their SOD-like activity,Applied Organometallic Chemistry,2019.
38. Saghatforoush L. et al.,Theoretical and experimental investigation of anticancer activities of an acyclic and symmetrical compartmental Schiff base ligand and its Co(ii), Cu(ii) and Zn(ii) complexes,RSC Advances,2018.
39. Synthesis and experimental/theoretical evaluations on redox potentials and electronic absorption spectra for copper symmetric bis(thiosemicarbazone) complexes,Polyhedron,2018.
40. Noohinejad L. , Hosseini , Yazdi S.A.,Construction of mononuclear macrocyclic and dinuclear acyclic Schiff base complexes via cadmium(II)–ion template: Synthesis, characterisation, and crystal structures,Inorganica Chimica Acta,2018.
41. Khandar A.A. et al.,Solubility, potentiometric and thermodynamic studies on zinc-bosentan complex; synthesis and X-ray crystal structure,Journal of Molecular Liquids,2017.

.42 Hosseini et al.,Synthesis, characterization and in vitro biological activities of new water-soluble copper(II), zinc(II), and nickel(II) complexes with sulfonato-substituted Schiff base ligand,Inorganica Chimica Acta,2017.
.43 Hosseini et al.,Copper, nickel and zinc complexes of a new water-soluble thiosemicarbazone ligand: Synthesis, characterization, stability and biological evaluation,Journal of Molecular Liquids,2017.
.44 Hosseinpour S. , Hosseini , Yazdi S.A. , White J.,Binuclear zinc(II) complexes of N(4)-substituted bis(thiosemicarbazone) ligands incorporating hydroxyl group and their non-hydroxyl analogues,Inorganica Chimica Acta,2017.
.45 Hosseini et al.,Reactions of copper(II), nickel(II), and zinc(II) acetates with a new water-soluble 4-phenylthiosemicarbazone Schiff base ligand: Synthesis, characterization, unexpected cyclization, antimicrobial, antioxidant, and anticancer activities,Polyhedron,2017.
.46 Hosseinpour S. et al.,X-ray crystal structural and spectral studies of copper(II) and nickel(II) complexes of two asymmetric bis(thiosemicarbazone) ligands and the investigation of relationship between the N(4)-substituent and the electrochemical behavior,Polyhedron,2017.
.47 Synthesis, characterization, and X-ray crystal structures of copper(II) and nickel(II) complexes with two bis(thiosemicarbazone) ligands and investigation of their electrochemical behavior,Transition Metal Chemistry,2016.
.48 Khandar A.A. et al.,Synthesis, X-ray crystal structure and solubility of a new zinc–naproxen complex: Potentiometric and thermodynamic studies in methanol + water mixtures,Journal of Molecular Liquids,2016.
.49 Catalytic capture of CO2 with template-containing Zn/MCM-41 and its transformation to solid carbonate,Journal of the Brazilian Chemical Society,2016.
.50 Abedi M. et al.,Synthesis, characterization, crystal structure and DFT study of a dinuclear zinc(II) macrocyclic complex,Polyhedron,2016.
.51 Khandar A.A. et al.,Anion influence in the structural diversity of cadmium coordination polymers constructed from a pyridine based Schiff base ligand,Inorganica Chimica Acta,2015.
.52 Khandar A.A. et al.,Synthesis, characterization and crystal structures of mono and dinuclear macrocyclic cobalt(II) complexes with a new tetraaza m-xylyl-based macrocyclic ligand,New Journal of Chemistry,2015.
.53 Synthesis, Characterization and Crystal Structure of Zn(II) and Cd(II) One , and Two , Dimensional Coordination Polymers Derived from Pyridine Based Schiff Base ligand,Khandar A.A.-Afkhami F.A.-Hosseini-Yazdi S.A.-Lipkowski J.-Dougherty W.G.-Kassel W.S.-Prieto H.R.-Garc□a-Granda S.,Journal of Inorganic and Organometallic Polymers and Materials,2015.
.54 Khandar A.A. et al.,Coordination complexes and polymers from the initial application of phenyl-2-pyridyl ketone azine in mercury chemistry,Polyhedron,2015.
.55 Hosseini et al.,Copper(II) and nickel(II) complexes with two new bis(thiosemicarbazone) ligands: Synthesis, characterization, X-ray crystal structures and their electrochemistry behavior,Inorganica Chimica Acta,2015.
.56 Copper(II) and zinc(II) complexes of mono- and tri-linked azacrown macrocycles: Synthesis, characterization, X-ray structure, phosphodiester hydrolysis and DNA cleavage,Inorganica Chimica Acta,2014.
.57 Synthesis, characterization, spectrophotometric and electrochemistry studies, and DNA cleavage of copper(II) complexes of a new azacrown bis-macrocycle and its mono-cyclic analogue,Journal of Inclusion Phenomena and Macrocyclic Chemistry,2014.
.58 Hosseini et al.,Synthesis, crystal structures, spectroscopic and electrochemical studies on Cu(II) and Ni(II) complexes with compartmental nitrogen-oxygen mixed donor ligands,Polyhedron,2014.
.59 Akkurt M. et al.,Di-□-chlorido-bis(chlorido{N'-[phenyl-(pyridin-2-yl-kN) methylidene]pyridine-2-carbohydrazide-k2N',O}cadmium),Acta Crystallographica Section E,2014.

.60 Hosseini et al.,Synthesis, characterization, X-ray structure, spectroscopic and electrochemical studies of copper and zinc complexes with two new polydentate ligands,Inorganica Chimica Acta,2014.

.61 Khandar, Ali Akbar et al.,Syntheses, studies and crystal structures of coordination polymers and dinuclear complexes of mercury(II) halides and thiocyanate with a symmetrical Schiff base ligand,Inorganica Chimica Acta,2013.

.62 Khandar A.A. et al.,Structural effects of potentially hexadentate Schiff base ligands involving pyrrolic, etheric or thioetheric donors towards zinc(II) cation: Synthesis, characterization and crystal structures,Inorganica Chimica Acta,2013.

.63 Zarei S.A. et al.,Nickel(II) complexes with the macrocyclic schiff base ligand: Synthesis, spectroscopic studies, electrochemical behaviours and 1D supramolecular structure,Inorganica Chimica Acta,2013.

.64 Akkurt M. , Khandar A.A. , Tahir M.N., Hosseini , Yazdi S.A., Afkhami F.A.,Dibromido{N'-[1-(pyridin-2-yl)ethylidene]picolinohydrazide-k 2 N',O}cadmium,Acta Crystallographica Section E,2012.

.65 Akkurt M. et al.,Catena-poly[[(benzil bis{[(pyridin-2-yl)methylidene]hydrazone}-□4N,N',N'',N□)mercury(II)] -□-chlorido-[dichloridomercury(II)]-□-chlorido],Acta Crystallographica Section E,2012.

.66 Khandar A.A. et al.,Synthesis, characterization and crystal structures of di-three-coordinated copper(I) macrocyclic Schiff base complexes,Polyhedron,2011.

.67 Synthesis, characterization, electrochemical behaviour and X-ray crystal structures of nickel(II) complexes with a N2O4 donor set macrocyclic Schiff base ligand,Polyhedron,2010.

.68 Synthesis characterization, X-ray structures, and solution studies of dinuclear zinc(II) complexes of acyclic Schiff base ligands,Zeitschrift fur Anorganische und Allgemeine Chemie,2010.

.69 Khandar A.A. et al.,Synthesis, characterization and crystal structures of dinuclear macrocyclic Schiff base copper(I) complexes bearing different bridges,Polyhedron,2010.

.70 Khandar A.A. et al.,Nickel(II) and copper(II) complexes of Schiff base ligands containing N4O2 and N4S2 donors with pyrrole terminal binding groups: Synthesis, characterization, X-ray structures, DFT and electrochemical studies,Inorganica Chimica Acta,2010.

.71 Synthesis, characterization, X-ray structures, and solution studies of nickel(II) complexes of an aza-crown macrocycle with a hydroxyl pendant-armed,Zeitschrift fur Anorganische und Allgemeine Chemie,2008.

.72 Hosseini , Yazdi S.A. , Khandar A.A. , Azizi H.,Nickel(II) complexes with a hydroxyl pendant-armed macrocyclic ligand: Synthesis, characterization, and crystal structures,Zeitschrift fur Anorganische und Allgemeine Chemie,2008.

.73 Khandar A.A. et al.,Synthesis, characterization and structure of nickel(II) complexes of a 16-membered mixed-donor macrocyclic Schiff base ligand, potentially hexadentate, bearing two pendant alcohol functions,Polyhedron,2007.

.74 Khandar A.A. , Hosseini , Yazdi S.A. , Zarei S.A.,Synthesis, characterization and X-ray crystal structures of copper(II) and nickel(II) complexes with potentially hexadentate Schiff base ligands,Inorganica Chimica Acta,2005.

.75 Khandar A.A. , Hosseini , Yazdi S.A.,Synthesis and characterization of the nickel(II) complex of a macrocyclic Schiff base ligand with a single pendant coordinating hydroxyl arm,Australian Journal of Chemistry,2003.

.76 Khandar A.A. , Hosseini , Yazdi S.A.,Synthesis, X-ray crystal structure, and solution properties of nickel(II) complexes of new 16-membered mixed-donor macrocyclic schiff base ligand incorporating a pendant alcohol function,Polyhedron,2003.

## پایان‌نامه‌ها

۱. سنتز، شناسایی و فعالیت بیولوژیکی کمپلکس¬های فلزی سنتز شده با لیگاندهای جدید بر پایه¬ی تیوسمی¬کاربازون¬های فلوئورسنت ، سیما فیض¬پور ، ۱۴۰۲/۳/۲۷
۲. سنتز و شناسایی کمپلکس¬های فلزات واسطه سری اول با لیگندهای جدید بر پایه¬ی تیو سمی کاربازون¬ها و بررسی فعالیت بیولوژیکی آن¬ها ، سهیلا چنابی ، ۱۳۹۸/۱۱/۲۰
۳. سنتز و شناسایی کمپلکس¬های نیکل و مس مشتقات بیس(تیو سمی کاربازون) و محاسبات DFT پتانسیل¬های ردوکس آن¬ها در فاز محلول ، پروین صمدزاده اقدم ، ۱۳۹۷/۱۱/۱۸
۴. سنتز و شناسایی کمپلکس¬های برخی فلزات واسطه سری اول لیگندهای تک¬بازویی و دوبازویی جدید دارای اتم¬های دهنده اکسیژن، نیتروژن و گوگرد و بررسی خواص آن¬ها ، آزاده میرزااحمدی ، ۱۳۹۵/۱۱/۲۰
۵. کمپلکس¬های روی، مس و نیکل بیس(تیو سمی کاربازونهای) عامل¬دار شده: سنتز، شناسایی و بررسی خواص آن¬ها ، سارا حسین پور ، ۱۳۹۴/۹/۲۵
۶. طراحی لیگاندهای ماکروسیکل دارای اتصال با دهنده¬های مختلط و برهم کنش آن¬ها با برخی از یون¬های فلزات واسطه ، زهرا کلانتری خرمدره ، ۱۳۹۳/۳/۳۱